


ALLEGATO 1

Banca dati sottosuolo:

- 1. Dati "GeoEmilia"***
- 2. Dati "Ufficio Geologico R.E.R."***
- 3. Dati "P.R.G. Gualtieri, 1986"***

UBICAZIONE DATI SOTTOSUOLO SU C.T.R. 1:25.000

- Dati geoEmilia 12
- Dati Ufficio Geol. R.E.R. 14
- Prove CPT P.S.C. 2003 CPT6
- Dati P.R.G. 1986 13



1. Dati “GeoEmilia”

PERFOR AZIONE N°	STRATIGRA					
	FIA					
	AO	A	L	LS	SL	S
1			0.0 - 1.4			
				1.4 – 2.2		
			2.2 – 3.4			
		3.4 – 7.0				
2	0.0 – 1.0					
			1.0 – 3.6			
	3.6 – 4.6					
			4.6 – 10.6			
3			0.0 – 5.4			
	5.4 – 6.2					
			6.2 – 9.4			
				9.4 - 10.0		
4			0.0 – 3.2			
				3.2 - 4.0		
			4.0 – 8.4			
				8.4 – 9.0		
5		0.0 – 2.8				
					2.8 – 3.4	
			3.4 - 5.0			
				5.0 – 6.4		
			6.4 – 8.8			
		8.8 - 10.0				
6		0.0 – 2.6				
	2.6 – 4.4					
		4.4 – 7.8				
			7.8 – 15.0			
7		0.0 – 2.4				
	2.4 – 4.6					
		4.6 – 6.8				
			6.8 – 10.0			
8		0.0 – 2.6				
	2.6 – 4.6					
			4.6 – 6.6			
				6.6 – 11.4		

			11.4 – 15.0			
	AO	A	L	LS	SL	S
9		0.0 – 2.6				
	2.6 – 4.4					
		4.4 – 7.2				
				7.2 - 11.6		
			11.6 – 15.8			
10			0.0 – 5.2			
		5.2 – 6.2				
			6.2 – 8.6			
11			0.0 – 3.0			
	3.0 – 4.0					
			4.0 – 8.0			
					8.0 – 9.0	
			9.0 – 12.0			
						12.0 - 16.0
12	0.0 – 1.4					
			1.4 – 2.6			
	2.6 – 4.0		4.0 – 6.2			
						6.2 – 7.8
	7.8 – 10.0					
13			0.0 – 10.0			
14		0.0 – 1.2				
	1.2 – 2.4					
			2.4 – 3.4			
		3.4 – 8.0				
15						
		5.8 – 8.0				
			8.0 – 13.8			
		13.8 – 16.8				
			16.8 – 19.4			
						19.4 – 21.6
16		0.0 – 2.2				
	2.2 – 3.0					
		3.0 – 8.4				
					8.4 – 9.8	

			9.8 – 13.6			
						13.6 – 14.8
	AO	A	L	LS	SL	S
17		0.0 – 2.4				
	2.4 – 3.8					
		3.8 – 8.0				
			8.0 – 13.4			
						13.4 – 16.2
18						
		3.6 – 10.4				
			10.4 – 19.2			
						19.2 – 19.6
19			0.0 – 3.0			
					3.0 – 4.2	
		4.2 – 8.0				
20		0.0 – 3.4				
	3.4 – 4.4					
			4.4 – 5.0			
					5.0 – 5.8	
			5.8 – 14.2			
						14.2 – 15.0
21		0.0 – 2.4				
			2.4 – 5.2			
	5.2 – 5.8					
			5.8 – 10.0			
22			0.0 – 3.2			
	3.2 – 3.6					
			3.6 – 6.2			
						6.2 – 9.0
23			0.0 – 3.2			
		3.2 – 4.2				
			4.2 – 6.8			
		6.8 – 9.4				
24		0.0 – 2.6				
	2.6 - 3.0					
			3.0 – 8.8			
					8.8 – 10.6	

			10.6 – 11.2			
	AO	A	L	LS	SL	S
25		0.0 – 1.6				
	1.6 – 2.4					
			2.4 – 3.8			
	3.8 – 4.4					
			4.4 – 10.6			
26			0.0 – 3.0			
	3.0 – 4.2					
			4.2 – 7.0			
					7.0 – 7.4	
			7.4 – 8.6			
27			0.0 – 10.0			
28		0.0 – 2.0				
	2.0 – 5.0					
			5.0 – 8.0			
				8.0 – 8.8		
			8.8 – 10.6			
29		0.0 – 0.8				
				0.8 – 3.8		
			3.8 – 10.0			
30		0.0 – 1.2				
			1.2 – 7.4			
		7.4 – 10.0				
31		0.0 – 1.4				
			1.4 – 3.2			
	3.2 – 4.4					
			4.4 – 10.6			
32			0.0 – 8.5			
					8.5 – 10.0	
33		0.0 – 1.2				
			1.2 – 5.6			
		5.6 – 8.6				
				8.6 – 9.8		
		9.8 – 10.6				
		0.0 – 1.0				

34			1.0 – 10.0			
	AO	A	L	LS	SL	S
35		0.0 – 1.4				
			1.4 – 5.6			
						5.6 – 10.2
	10.2 – 13.0					
						13.0 – 14.6
36				0.0 – 1.2		
			1.2 – 3.4			
	3.4 – 4.4					
			4.4 – 6.6			
		6.6 – 13.0				
						13.0 – 15.0
37						
		0.0 – 14.0				
						14.0 – 41.0
	41.0 – 48.0					
		48.0 – 94.0				
						94.0 – 124.0
			124.0 – 126.0			
38		0.0 – 1.0				
			1.0 – 2.0			
	2.0 – 2.4					
			2.4 – 4.0			
	4.0 – 4.8					
			4.8 – 7.6			
	7.6 – 8.6					
39		0.0 – 1.2				
			1.2 – 2.0			
	2.0 – 2.8					
			2.8 – 4.0			
	4.0 – 5.0					
			5.0 – 7.8			
		7.8 – 9.6				

	AO	A	L	LS	SL	S
41		0.0 – 2.8				
	2.8 – 3.4					
				3.4 – 5.0		
	5.0 – 5.4					
			5.4 – 8.6			
	8.6 – 9.0					
						9.0 – 9.6
			9.6 – 10.0			
42		0.0 – 3.0				
	3.0 – 5.0					
			5.0 – 12.0			
43			0.0 – 4.4			
						4.4 – 20.0
44				0.0 – 1.0		
	1.0 – 2.0					
			2.0 – 2.8			
	2.8 – 4.6					
			4.6 – 9.0			
	9.0 – 10.0					
						10.0 – 25.0
45				0.0 – 1.0		
			1.0 – 9.2			
				9.2 – 9.6		
	9.6 – 10.6					
						10.6 – 19.4
	19.4 – 20.2					
						20.2 – 25.4
46				0.0 – 0.8		
			0.8 – 1.8			
	1.8 – 6.2					
			6.2 – 8.8			
					8.8 – 9.2	
	9.2 – 12.4					

						12.4 – 25.0
47						
		1.6 – 2.6				
	2.6 – 4.2					
			4.2 – 15.0			
	AO	A	L	LS	SL	S
48						
		2.2 - 8.0				
49			8.0 – 10.0			
		0.0 – 2.0				
	2.0 – 4.0					
			4.0 – 14.0			
						14.0 – 20.0
50						
		1.8 – 3.8				
	3.8 – 4.4					
		4.4 – 8.2				
			8.2 – 13.4			
						13.4 – 17.0
51						
		1.8 – 10.0				
52						
		1.2 – 2.8				
	2.8 – 3.4					
		3.4 – 8.2				
			8.2 – 10.0			
53						
		1.6 – 7.8				
			7.8 – 10.0			
54						
		2.2 – 6.2				
			6.2 – 7.6			
		7.6 – 8.4				
			8.4 – 14.0			
55						
		1.8 – 6.4				
					6.4 – 6.8	
		6.8 – 8.6				
			8.6 – 17.6			

						17.6 – 20.0
56		0.0 – 1.0				
	1.0 – 3.8					
			3.8 – 13.8			
						13.8 – 16.0
	AO	A	L	LS	SL	S
57			0.0 – 2.4			
	2.4 – 5.4					
			5.4 – 10.0			
						10.0 – 15.0
58			0.0 – 2.2			
	2.2 – 4.0					
			4.0 – 13.2			
						13.2 – 15.0
59			0.0 – 3.0			
	3.0 – 3.4					
			3.4 – 4.8			
	4.8 – 5.2					
			5.2 – 9.2			
	9.2 – 9.6					
						9.6 – 19.2
60			0.0 – 1.2			
	1.2 – 2.0					
			2.0 – 5.8			
				5.8 – 6.4		
			6.4 – 8.0			
				8.0 – 9.2		
			9.2 – 13.0			
						13.0 – 15.0
61			0.0 – 1.4			
	1.4 – 1.8					
			1.8 – 3.2			
	3.2 – 4.0					
			4.0 – 8.8			
						8.8 – 9.4
			9.4 – 12.2			
						12.2 – 20.0

	AO	A	L	LS	SL	S
62			0.0 – 2.4			
	2.4 – 3.0					
			3.0 – 9.0			
						9.0 – 10.2
		10.2 – 12.0				
	13.0 – 14.0				12.0 – 13.0	
						14.0 – 15.0
63			0.0 – 1.6			
	1.6 – 3.0					
			3.0 – 8.4			
						8.4 – 9.2
			9.2 – 10.2			
	10.2 – 11.0					
			11.0 – 11.8			
						11.8 – 12.4
	12.4 – 13.4					
						13.4 – 15.0
64			0.0 – 3.2			
	3.2 – 3.8					
			3.8 – 8.2			
					8.2 – 9.0	
			9.0 – 10.4			
						10.4 – 15.0
65			0.0 – 1.8			
	1.8 – 2.0					
			2.0 – 3.0			
	3.0 – 3.8					
			3.8 – 8.2			
				8.2 – 8.8		
			8.8 – 12.0			
	12.0 – 14.8					
						14.8 – 20.0

	AO	A	L	LS	SL	S
66			0.0 – 3.0			
		3.0 – 3.8				
			3.8 – 7.6			
		7.6 – 8.4				
					8.4 – 10.4	
			10.4 – 12.4			
		12.4 – 13.4				
						13.4 – 15.0
67			0.0 – 2.4			
	2.4 – 4.8					
			4.8 – 7.6			
	7.6 – 8.2					
						8.2 – 9.4
			9.4 – 13.6			
						13.6 – 15.0
68			0.0 – 1.2			
	1.2 – 1.6					
			1.6 – 2.4			
	2.4 – 3.0					
			3.0 – 3.6			
	3.6 – 4.0					
			4.0 – 4.4			
	4.4 – 4.8					
			4.8 – 6.0			
	6.0 – 6.4					
			6.4 – 9.6			
				9.6 – 10.4		
			10.4 – 12.0			
		12.0 – 12.6				
						12.6 – 15.0
69			0.0 – 1.8			
	1.8 – 4.6					
			4.6 – 13.4			

						13.4 – 20.0
	AO	A	L	LS	SL	S
70			0.0 – 3.6			
	3.6 – 4.0					
			4.0 – 6.4			
	6.4 – 7.4					
			6.4 – 8.8			
						8.8 – 9.8
			9.8 – 13.2			
		13.2 – 14.0				
						14.0 – 20.0
71			0.0 – 1.6			
	1.6 – 2.0					
			2.0 – 3.4			
	3.4 – 4.0					
			4.0 – 8.8			
	8.8 – 9.6					
				9.6 – 10.2		
			10.2 – 13.8			
						13.8 – 15.0
72			0.0 – 1.2			
	1.2 – 1.6					
			1.6 – 2.2			
	2.2 – 2.8					
			2.8 – 3.4			
	3.4 – 4.0					
			4.0 – 9.2			
	9.2 – 9.6					
				9.6 – 10.6		
			10.6 – 13.2			
						13.2 – 15.0
73			0.0 – 1.0			
	1.0 – 1.5					
			1.5 – 2.5			
		2.5 – 3.5				

			3.5 – 7.0			
74			0.0 – 1.8			
	1.8 – 5.0					
		5.0 – 7.2				
			7.2 – 10.0			
	AO	A	L	LS	SL	S
75		0.0 – 1.8				
	1.8 – 5.0					
		5.0 – 6.8				
			6.8 – 7.8			
	7.8 – 9.0					
			9.0 – 10.0			
76		0.0 – 2.4				
	2.4 – 5.0					
		5.0 – 7.6				
			7.6 – 10.0			
77		0.0 – 2.2				
	2.2 – 5.0					
		5.0 – 7.2				
			7.2 – 10.0			
78		0.0 – 1.6				
	1.6 – 4.8					
		4.8 – 7.2				
			7.2 – 10.0			
79		0.0 – 2.2				
	2.2 – 5.0					
			5.0 – 10.0			
80			0.0 – 5.0			
					5.0 – 5.6	
			5.6 – 8.0			
81		0.0 – 11.5				
						11.5 – 32.4
	32.4 – 36.8					
						36.8 – 40.0
82		0.0 – 12.0				
			12.0 – 14.5			
						14.5 – 18.0
			0.0 – 1.2			
		1.2 – 9.4				

83						9.4 – 34.1
	34.1 – 40.0					
	AO	A	L	LS	SL	S
84			0.0 – 3.5			
		3.5 – 10.5				
						10.5 – 32.7
	32.7 – 36.0					
						36.0 – 40.0
85		0.0 – 8.5				
			8.5 – 11.5			
				11.5 – 15.0		
						15.0 – 28.0
86			0.0 – 2.0			
				2.0 – 4.8		
						4.8 – 13.8
	13.8 – 14.6					
						14.6 – 18.0
87			0.0 – 1.0			
					1.0 – 2.8	
			2.8 – 4.0			
						4.0 – 18.0
88			0.0 – 0.8			
					0.8 – 4.8	
						4.8 – 18.0
89			0.0 – 2.2			
					2.2 – 3.0	
						3.0 – 18.0
90			0.0 – 1.0			
					1.0 – 5.0	
						5.0 – 18.0
91			0.0 – 2.2			
					2.2 – 5.4	
						5.4 – 18.0
92			0.0 – 2.2			
					2.2 – 5.6	
						5.6 – 18.0

93			0.0 – 2.6			
					2.6 – 4.2	
						4.2 – 18.0
	AO	A	L	LS	SL	S
94			0.0 – 1.8			
					1.8 – 4.2	
						4.2 – 18.0
95			0.0 – 1.2			
					1.2 – 3.4	
						3.4 – 7.2
					7.2 – 9.0	
						9.0 – 18.0
96			0.0 – 2.4			
				2.4 – 4.2		
						4.2 – 18.0
97			0.0 – 3.0			
				3.0 – 5.0		
	5.0 – 5.6					
						5.6 – 8.6
	8.6 – 9.6					
						9.6 – 16.0
98			0.0 – 1.2			
					1.2 – 3.0	
			3.0 – 4.2			
						4.2 – 18.0
99			0.0 – 1.0			
					1.0 – 4.0	
						4.0 – 8.4
					8.4 – 9.8	
						9.8 – 16.0
100			0.0 – 2.4			
					2.4 – 5.2	
						5.2 – 18.0
101			0.0 – 4.2			
					4.2 – 8.2	
						8.2 – 18.0
			0.0 – 4.2			

					4.2 – 5.2	
			5.2 – 7.2			
					7.2 – 9.2	
						9.2 – 13.8
		13.8 – 15.0				
	AO	A	L	LS	SL	S
102			0.0 – 4.2			
					4.2 – 5.2	
			5.2 – 7.2			
					7.2 – 9.2	
						9.2 – 13.8
		13.8 – 15.0				
						15.0 – 18.0
103			0.0 – 3.6			
					3.6 – 4.8	
			4.8 – 10.0			
					10.0 – 13.0	
						13.0 – 18.0
104			0.0 – 2.8			
					2.8 – 9.0	
						9.0 – 12.6
	12.6 – 13.4					
						13.4 – 18.0
105			0.0 – 2.8			
						2.8 – 8.8
				8.8 – 10.4		
						10.4 – 15.0
106			0.0 – 1.8			
					1.8 – 7.0	
						7.0 – 20.0
107			0.0 – 1.0			
				1.0 – 3.2		
						3.2 – 15.0
108			0.0 – 3.8			
					3.8 – 8.0	
						8.0 – 15.0
109			0.0 – 3.0			
					3.0 – 5.0	
						5.0 – 7.0

					7.0 – 9.0	
						9.0 – 20.0
110			0.0 – 1.8			
						1.8 – 15.0
	AO	A	L	LS	SL	S
111			0.0 – 2.0			
						2.0 – 6.8
		6.8 – 7.8				
						7.8 – 15.0
112			0.0 – 3.0			
						3.0 – 20.0
113			0.0 – 2.0			
						2.0 – 8.0
114			0.0 – 1.4			
					1.4 – 3.6	
						3.6 – 8.0
115			0.0 – 2.8			
						2.8 – 8.0
116						
			1.0 – 3.4			
	3.4 – 3.8					
					3.8 – 7.0	
						7.0 – 8.8
117			0.0 – 2.8			
					2.8 – 4.8	
						4.8 – 6.8
					6.8 – 7.8	
118			0.0 – 0.8			
	0.8 – 1.2					
			1.2 – 3.2			
						3.2 – 8.0
119			0.0 – 3.6			
	3.6 – 4.2					
						4.2 – 8.8
120			0.0 – 1.0			
	1.0 – 1.4					
			1.4 – 3.4			
	3.4 – 4.8					

						4.8 – 8.8
121		0.0 – 3.0				
			3.0 – 4.5			
						4.5 – 6.2
	AO	A	L	LS	SL	S
122		0.0 – 4.0				
			4.0 – 6.0			
						6.0 – 6.2
123		0.0 – 2.0				
						2.0 – 3.0
			3.0 – 5.0			
						5.0 – 6.2
124		0.0 – 3.0				
			3.0 – 4.2			
					4.2 – 6.0	
						6.0 – 6.2
125		0.0 – 3.0				
			3.0 – 5.0			
						5.0 – 6.2
126		0.0 – 1.0				
						1.0 – 6.2
127		0.0 – 2.0				
						2.0 – 6.2
128		0.0 – 1.0				
						1.0 – 6.2
129		0.0 – 1.2				
			1.2 – 4.2			4.2 – 6.2
130		0.0 – 2.0				
						2.0 – 6.2
131		0.0 – 1.0				
						1.0 – 6.2
132		0.0 – 1.0				
						1.0 – 6.2
133		0.0 – 2.0				
			2.0 – 3.5			
						3.5 – 6.2
		0.0 – 2.0				

134			2.0 – 3.0			
						3.0 – 6.2
135		0.0 – 2.0				
			2.0 – 5.0			
						5.0 – 6.2
	AO	A	L	LS	SL	S
136		0.0 – 1.0				
						1.0 – 6.2
137		0.0 – 1.2				
						1.2 – 6.2
138		0.0 – 1.0				
						1.0 – 6.2
139		0.0 – 1.0				
						1.0 – 6.2
140		0.0 – 1.0				
						1.0 – 6.2
141			0.0 – 2.0			
		2.0 – 4.0				
						4.0 – 6.2
142			0.0 – 2.7			
						2.7 – 7.0
143		0.0 – 2.2				
	2.2 – 3.0					
			3.0 – 3.8			
	3.8 – 4.2					
			4.2 – 8.4			
	8.4 – 9.0					
			9.0 – 10.0			
144		0.0 – 1.6				
			1.6 – 2.6			
	2.6 – 3.8					
			3.8 – 6.6			
						6.6 – 10.0
145		0.0 – 2.2				
	2.2 – 4.4					
		4.4 – 6.8				
			6.8 – 9.6			
	9.6 – 10.4					
						10.4 – 13.0

	13.0 – 14.0					
		14.0 – 15.4				
	15.4 – 16.4					
						16.4 – 18.6
	AO	A	L	LS	SL	S
146		0.0 – 2.4				
	2.4 – 4.6					
		4.6 – 7.2				
			7.2 – 9.6			
	9.6 – 10.2					
		10.2 – 11.4				
	12.4 – 14.2					11.4 – 12.4
147			0.0 – 2.4			14.2 – 15.0
	2.4 – 3.6					
			3.6 – 8.6			
						8.6 – 10.4
			10.4 – 13.8			
						13.8 – 15.2
148		0.0 – 17.0				
						17.0 – 34.0
		34.0 – 99.0				
						99.0 – 120
		120.0 – 123.0				
149			0.0 – 4.6			
		4.6 – 7.2				
			7.2 – 10.4			
	10.4 – 14.4					
			14.4 – 16.4			
		16.4 – 18.6				
			18.6 – 20.2			
		20.2 – 20.8				
						20.8 – 25.0
			0.0 – 4.2			
	4.2 – 5.0					
			5.0 – 6.8			
		6.8 – 8.2				

			8.2 – 9.8			
	9.8 – 13.0					
					13.0 – 13.8	
	13.8 – 15.0					
		15.0 – 17.2				
			17.2 – 19.8			
		19.8 – 20.6				
						20.6 – 25.0

Legenda

AO: argille organiche

A: argille

L: limi

LS: limi sabbiosi

SL: sabbie limose

S: sabbie

2. Dati “Ufficio Geologico R.E.R.”

	AO	A	L	LS	SL	S
1			0.0 – 16.0			
						16.0 – 21.0
2		0.0 – 6.0				
						6.0 – 33.0
		33.0 – 98.0				
						98.0 – 121.0
3			0.0 – 14.0			
						14.0 – 33.0
		33.0 – 98.0				
						98.0 – 110.0
4		0.0 – 2.0				
						2.0 – 24.5
5		0.0 – 14.0				
						14.0 – 38.0
		38.0 – 90.0				
						90.0 – 125.0
6		0.0 – 14.0				
						14.0 – 38.0
		38.0 – 90.0				
						90.0 – 112.0
7		0.0 – 14.0				
						14.0 – 124.0
		124.0 – 125.0				
8		0.0 – 2.0				
						2.0 – 24.0
9		0.0 – 15.5				
						15.5 – 45.5
		45.5 – 94.5				
						94.5 – 122.0
		122.0 – 126.0				
10						0.0 – 21.0
11		0.0 – 4.0				
			4.0 – 6.5			
						6.5 – 35.0
12		0.0 – 15.0				
						15.0 – 39.0
		39.0 – 96.0				
						96.0 – 109.0

[illegible]

	AO	A	L	LS	SL	S
22		0.0 – 15.0				
						15.0 – 47.0
		47.0 – 72.0				
						72.0 – 78.0
		78.0 – 93.0				
						93.0 – 108.0
		108.0 – 114.0				
23			0.0 – 3.0			
						3.0 – 14.0
		14.0 – 24.0				
24		0.0 – 16.0				
						16.0 – 33.0
		33.0 – 92.0				
						92.0 – 105.0
25		0.0 – 3.5				
						3.5 – 5.0
		5.0 – 15.0				
						15.0 – 21.0
		21.0 – 76.0				
						76.0 – 82.0
		82.0 – 93.0				
						93.0 – 107.0
26		0.0 – 16.0				
						16.0 – 42.0
		42.0 – 84.0				
						84.0 – 87.0
		87.0 – 95.0				
						95.0 – 120.0
27			0.0 – 6.0			
						6.0 – 98.0
28			0.0 – 6.0			
		6.0 – 30.0				
						30.0 – 35.0
		35.0 – 95.0				
						95.0 – 112.0
29		0.0 – 13.0				
						13.0 – 31.0

	AO	A	L	LS	SL	S
30		0.0 – 21.0				
						21.0 – 30.0
		30.0 – 40.0				
31		0.0 – 17.0				
						17.0 – 28.0
32		0.0 – 17.0				
						17.0 – 28.0
		28.0 – 96.0				
						96.0 – 106.0
33			0.0 – 18.0			
						18.0 – 30.0
34		0.0 – 13.0				
						13.0 – 33.0
		33.0 – 90.0				
						90.0 – 120.0

Legenda

AO: argille organiche

A: argille

L: limi

LS: limi sabbiosi

SL: sabbie limose

S: sabbie

3. Dati “P.R.G. Gualtieri, 1986”

TAB. n. 2 - Determinazioni analitiche relative a n° 30 campioni di ter
(quadro sinottico)

Campione n°	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Umidità naturale %	35	43	37	41	41	37	39	43	43	47	32	43	47	48	38	32	35	39	37	44	49	40	43	40	36	43	59	49	63	57
2 mm	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	97	100	100	100	100	100	100	84	92	80	100
0.42 mm	100	82	98	89	100	100	98	100	94	95	98	90	100	100	88	97	100	89	82	71	100	88	95	78	100	96	81	85	74	97
0.075 mm	86	69	78	73	97	89	66	83	74	93	88	79	83	92	83	95	92	83	79	69	89	78	87	70	92	91	67	61	59	73
* Limite liquido	64	49	71	68	58	53	42	70	62	62	65	67	63	74	71	59	67	52	43	41	59	58	55	44	68	63	48	56	43	51
* Limite plastico	52	41	66	54	47	42	37	57	54	45	52	59	48	57	59	41	44	41	31	38	47	44	49	32	51	49	39	43	31	37
Indice plastico	12	8	5	14	11	11	5	13	8	17	13	8	15	17	12	18	13	11	12	3	12	8	6	12	17	14	9	13	12	16
Indice di gruppo	13	9	12	9	12	11	8	14	12	15	14	12	12	15	13	15	13	11	9	8	13	10	11	8	15	13	10	9	6	12
Classificazione CNR-UNI	A7-5	A-5	A-5	A7-5	A7-5	A7-5	A-5	A7-5	A-5	A7-5	A7-5	A-5	A7-5	A7-5	A7-5	A7-5	A7-5	A7-5	A7-5	A-5	A7-5	A-5	A-5	A7-5	A7-5	A-5	A7-5	A7-5	A7-5	A7-5

* Relativi alla frazione granulometrica passante al setaccio 0.42 mm.